



## Product Configuration (注意 wifi 图片差异, 不要出现 logo)



## Holder Installation

Fix the holder with screws and screw stopper



## Battery Installation



Open the water sensor



Install the battery



Close the water sensor

## Fix Water Sensor on the Holder



## Specification

Reset:

(1) Press the reset button for 6 seconds till the indicator flash rapidly. Then device turns to smart wifi mode.

(2) Press the reset button again for 6 seconds till the indicator flash slowly. The device turns to AP mode.

Battery: CR2-3V x 1

Standby current: 13uA

Working current: 100mA-110mA

Standby time: 5 years

Working time: 1 year (7 times/day) ; 2 years (3 times/day)

Wireless type: 2.4GHz

Wireless standard: IEEE 802.11b/g/n

Wireless range: 45m



Working temperature:0°C ~ 40°C (32° F~104° F)

Working humidity:20% ~ 85%

Storage temperature:0°C ~ 60°C (32° F ~140° F)

Storage humidity:0% ~ 90%

Size:67mm x 67mm x 24mm

69mm x 69mm x 34mm(Add the base)


## APP Download:

1) Android phone:Download"Smart life" from Google play store;IOS device:Download"Smart life" from APP store.

2) Scan QR code bellow to install.



1) Register and login .




## Adding device

The default is Smart Wifi mode as the device is power-up(the indicator light flashes quickly); If the indicator light shows and exception, pls press the reset button for 6s, forced reset into smart wifi mode; Press reset button again for 6s to change AP mode.(the indicator light flash slowly)


The configuration mode will last for 2 minutes, after 2 minutes, the light goes off and the device goes into sleep mode. The user needs to long press reset button to wake up the device before adding it again.

1. . Select the device to add, and choose smart wifi or AP mode to add.


**Note: The device currently supports 2.4G wifi signals.**



(1) Smart WiFi mode (follow the steps of app)




(2) AP mode: Pressing resetting button for 6s after Smart wifi mode, the indicator will flash slowly. (The next step can be performed in accordance with the app prompt.)




## Main function, working status and setting

1. working status, triggered/standby (the device can act for continuous triggering for 3-5s)


The device can get push notification after 3-5s.




## 2. Alarm recording




3. Turn Off/On push notification (no push notification when it's OFF, but it can be checked in the "notice")



4. Linkage alarm setting: To connect two items via scene setting.




4. Device sharing: Others can control the same device via "Device Sharing" without adding device. (Note: you can delete the share by pressing "shared account" for a long time)




## Other function

1. APP push notification and sound (Background push requires user to give the App corresponding permission)



2. Reset again: (take out the battery and then install it, wait for about 10-20 seconds to add device again, if device reset failed)



1. Indicator

Device Status	Indicator Status
Smart wifi	Flicker twice a second
AP compatibility mode	Flicker about every two seconds
Trigger status	The LED lamp keeps flashing and

	gives an alarm
suspend mode	Indicator is off
Reset	Indicator lights up for 4s and after 2 seconds lights off, device goes into configuration mode